

Plastic Welding > Welding machines > COMET

COMET




Our smallest and most easy-to-handle welding machine (only 7.5 kg), with integrated operating unit for civil engineering.

- Sophisticated drive technology, designed to meet the highest demands
- Digital display of temperature and speed
- Optional data recording on memory card possible
- Controlled temperature and drive
- User-friendly



SPECIFICATIONS




COMET 120 V

Voltage	V~	120
Power consumption	W	see chart above
Frequency	Hz	50 / 60
Temperature	°C	20 – 420
Speed	m/min	0.8 – 3.2
Welding pressure	N	max. 1000
Material thickness	mm	see chart above
Memory card recording		optional
Size (L x W x H)	mm	295 x 250 x 245
Weight	kg	7.5 (with 3 m cord)
Marking of conformity		
Approval mark		
Protection class I		

COMET 230 V

Voltage	V~	230
---------	----	-----

Plastic Welding > Welding machines > COMET


Power consumption	W	see chart above
Frequency	Hz	50 / 60
Temperature	°C	20 – 420
Speed	m/min	0.8 – 3.2
Welding pressure	N	max. 1000
Material thickness	mm	see chart above
Memory card recording		optional
Size (L x W x H)	mm	295 x 250 x 245
Weight	kg	7.5 (with 3 m cord)
Marking of conformity		
Approval mark		
Protection class I		

ACCESSORIES




Test kit for welding fittings

110.051 - Test kit for welding fittings



Test kit with injector needle

110.052 - Test kit with injector needle



Welding fitting PE

106.950 - Welding fitting PE



Guide-bar for COMET

129.224 - Guide-bar, complete, adjustable



Air pressure test manometer with testing needle

142.475 -