

LEISTER

PLASTIC WELDING

Plastic welding
made easy:

TRIAC BT



New!



Swiss Made Quality ✓

Hand tool
TRIAC BT

The TRIAC BT fulfils all of the functionality and design requirements necessary for successful plastic welding. Weighing just one kilogram, it is the lightest in its class and is made from high-quality material. Every TRIAC BT kit undergoes stringent quality checks before leaving the factory in Switzerland. The sturdy tool box includes everything an expert technician requires.



Temperature setting:
Convenient and reliable temperature adjustment



Accidental start-up protection:
The temperature adjustment becomes illuminated if the power to the tool is interrupted



Filter:
The fine mesh air filter prevents dirt from clogging the air inlet of the tool



Nozzle:
Extra strong, integral 5 mm universal nozzle



Filter cleaning:
The air filters on both sides can be easily removed and cleaned



Spare heating element:
Protected, packed in a box and within easy reach



Tool handle: Ergonomically designed handle with soft grip covering for a secure hold



Tool box:
Enough space for all the accessories the professional needs



Technical Data

Voltage	V~ 230
Power consumption	W 1600
Temperature	°C 20 – 700
Air flow (20°C)	l/min 230
Size (L x Ø)	mm 370 x 90, handle 56
Weight	kg 1.0
Marking of conformity	CE
Approval mark	Ⓢ
Certification scheme	CCA, CB
Protection class II	Ⓜ

Article-no:

136.939

TRIAC BT welding kit: TRIAC BT hand tool, 230 V / 1600 W, with Euro plug, tacking nozzle, 5,7 mm speed welding nozzles and spare heating element, delivered in the practical Leister tool box.



Well balanced design for precise welding.

- Light and easy to handle
- Ergonomic handle for welding without strain
- Electronically protected heating element
- Integral universal nozzle
- Built-in start up protection in case of power interruption

Accessories

Tacking nozzle, push-fit







Speed welding nozzle, push-fit

Speed welding nozzle, push-fit

Heating element, 230 V~ / 1550 W

Tool box

Leister-Cutter, with 4 spare blades



Article numbers

106.996

106.989 (3 mm)
106.990 (4 mm)
106.991 (5 mm)

106.992 (5.7 mm, A)
106.993 (7 mm, B)

136.916

116.586

137.855

Headquarters:

Leister Process Technologies
Galileo-Strasse 10
6056 Kaegiswil/Switzerland

phone: +41 41 662 74 74
fax: +41 41 662 74 16
leister@leister.com

www.leister.com

Leister Process Technologies is an **ISO 9001** certified enterprise.

Specifications are subject to change without prior notice



Our close worldwide network of more than 120 Sales and Service Centres in more than 90 countries.

© Copyright by Leister