

LEISTER

PLASTIC WELDING

SEAMTEK 900 AT

Maximum flexibility
for your specific
application










www.leister.com


We know how.

SEAMTEK 900 AT: Maximum flexibility for your specific application

The intelligent construction of the SEAMTEK 900 AT makes practically any welding application possible. Thanks to the well-thought-out multi-arm system, the machine can be set to a specific configuration for the application in record time. The huge selection of various drive wheels, nozzles and guides guarantees maximum flexibility. The intuitive operation of the user interface takes place entirely via touchscreen and permits simple adjustment of the regulated parameters.

<p>1</p> 	<p>Intuitive</p> <ul style="list-style-type: none"> • All parameters can be modified via touchscreen • Complete regulation of all parameters 	
<p>2</p> 	<p>Application-friendly</p> <ul style="list-style-type: none"> • Tool-free nozzle adjustment • Rapid wheel replacement 	
<p>3</p> 	<p>Pedestal</p> <ul style="list-style-type: none"> • Overlap welding • Hem and piping welding • 3D / Inflatable welding • Tape welding 	
<p>4</p> 	<p>Quickarm</p> <ul style="list-style-type: none"> • Endless welding of pipes and hoses • Overlap welding 	
<p>5</p> 	<p>Sidearm</p> <ul style="list-style-type: none"> • Circumference welding • Tape welding • Sealing of end caps 	
<p>6</p> 	<p>Tape Delivery System</p> <ul style="list-style-type: none"> • Application of seam sealing tape • Welding of reinforcement tape • Welding of hot melt adhesive tape 	

Leister SEAMTEK 900 AT





Easy, economical and safe welding.



Example: Tents

Welding machine

SEAMTEK 900 AT

- Multi-arm system guarantees great flexibility
- Welding parameters are digitally regulated
- Intuitive user interface
- Quiet operation
- Test mode for rapid parameter determination
- Drive wheels and guides can be quickly changed
- Maintenance-free and durable

Application



Inflatables



Flood protection



Advertising



Seam sealing for Outdoor Equipment

Technical data


Voltage	V~	230 / 240
Power	W	4500
Temperature	°C	120 – 700
Speed	m/min	0.1 – 30
Size (L × W × H)	mm	1500 × 702 × 1500
Weight	kg	238 kg Base 268 kg Fully loaded
Required air pressure	bar	6.2
Welding seam width	mm	8 – 64

Article No.:

155.555	SEAMTEK 900 AT Base version with pedestal, 2 steel pressure rollers 25 mm, standard nozzle 25 mm
155.777	Quick arm
155.666	Side arm
155.888	Tape Delivery System (TDS)
156.314	Transport Box

Accessories SEAMTEK 900 AT

	Wheel, Steel, Ø 63.5 mm
	155.392 8 mm
	155.393 13 mm
	155.863 19 mm
	154.593 25 mm
	155.864 38 mm
	155.394 50 mm
155.865 57 mm	
154.619 64 mm	
	Wheel, Silicone, 50A, Ø 63.5 mm
	155.401 13 mm
	155.402 19 mm
	155.403 25 mm
	155.404 38 mm
	155.405 50 mm
	155.406 57 mm
155.407 64 mm	
	SEAMTEK Nozzle
	157.808 8 mm (Low Flow)
	157.799 13 mm (Low Flow)
	151.598 13 mm
	151.601 19 mm
	151.597 25 mm
	151.608 38 mm
	151.599 50 mm
	151.850 55 mm
	151.600 64 mm
152.941 Closing nozzle with angle	
152.956 Hem nozzle	
153.730 Taping Nozzle 25 mm	
152.931 Adjustable taping nozzle 50 mm	
	SEAMTEK Guide
	155.660 Adjustable overlap guide, 0 – 64 mm
	155.530 Adjustable hem-/ piping guide 0 – 50 mm
	155.760 Adjustable hem-/ piping guide 0 – 60 mm, for heavy materials
	155.380 Open Hem/Pocket Guide up to 110 mm
	155.540 Modular 3D guide
	156.760 Overlap guide from the left
	156.770 Adjustable hot melt adhesive tape guide
155.400 Holder system for guides	
156.780 Overlap guide for quick arm	
	155.410 Connection adapter for fume extraction
	156.777 Air filter set
	150.581 Heating Element 230V/3600W



Leister Technologies AG
 Galileo-Strasse 10
 CH-6056 Kaegiswil / Switzerland
 phone: +41 41 662 74 74
 fax: +41 41 662 74 16
 leister@leister.com

Leister Technologies LLC
 Itasca, IL 60143 / USA
 phone: +1 855 534 7837
 info@leisterusa.com

Leister Technologies Ltd.
 Shanghai 201 109 / PRC
 phone: +86 21 6442 2398
 leister@leister.cn

Leister Technologis KK
 Osaka 564-0051 / Japan
 phone: +81 6 6310 62 00
 sales-japan@leister.com

Leister Technologies Benelux BV
 3991 CE Houten / Nederland
 phone: +31 (0)30 2199888
 info@leister.nl

Leister Technologies Italia s.r.l.
 20090 Segrate / Italia
 phone: +39 02 2137647
 sales@leister.it

Leister Technologies India Pvt
 600 041 Chennai / India
 phone: +91 44 2454 3436
 info@leister.in

**Leister Technologies
 Deutschland GmbH**
 D-58093 Hagen / Germany
 phone: +49-(0)2331-95940
 info.de@leister.com

We are local. Worldwide.

Our close worldwide network of more than 130 Sales and Service Centers in more than 100 countries.

- | | | | | | |
|---|--|--|--|--|--|
| Europe:
Andorra
Austria
Belgium
Cyprus
Denmark
Finland
France
Germany
Greece
Iceland
Ireland
Italy
Luxembourg
Malta
Monaco
Netherlands
Norway
Portugal
Liechtenstein
San Marino
Spain | Sweden
Switzerland
Turkey
United Kingdom
Vatican
Albania
Armenia
Azerbaijan
Belarus
Bosnia-Herzegovina
Bulgaria
Croatia
Czech Republic
Estonia
Georgia
Hungary
Kosovo
Latvia
Lithuania
Macedonia
Moldova
Montenegro | Poland
Romania
Russia
Serbia
Slovakia
Slovenia
Ukraine | Chile
Colombia
Ecuador
Peru
Venezuela | Africa:
Algeria
Botswana
Egypt
Ivory Coast
Kenya
Lesotho
Libya
Malawi
Morocco
Mozambique
Namibia
South Africa
Swaziland
Tunisia
Zambia
Zimbabwe | Indonesia
Japan
Korea
Macao
Malaysia
Myanmar
Mongolia
Pakistan
Philippines
Singapore
Taiwan
Thailand
Vietnam |
| | America:
Canada
Mexico
USA
Belize
Costa Rica
El Salvador
Guatemala
Honduras
Nicaragua
Panama
Argentina
Bolivia
Brazil | Central Asia:
Kazakhstan
Kyrgyzstan
Tajikistan
Turkmenistan
Uzbekistan | Middle East:
Bahrain
Iran
Iraq
Israel
Jordan
Qatar
Saudi Arabia
U.A.E | Oceania:
Australia
New Zealand | Asia Pacific:
China
Hong Kong
India |

© Copyright by Leister, Switzerland

Distributor Addresses: