

Linoleum and PVC floor welding made easy:

TRIAC BT





Hand tool

TRIAC BT



The TRIAC BT fulfils all of the functionality and design requirements necessary for successful welding of linoleum and PVC flooring. Weighing just one kilogram, it is the lightest in its class and is made from high-quality material. Every TRIAC BT kit undergoes stringent quality checks before leaving the factory in Switzerland. The sturdy tool box includes everything an expert technician requires.





Well balanced design for precise welding.

- Light and easy to handle
- Ergonomic handle for welding without strain
- · Electronically protected heating element
- Integral universal nozzle
- Built-in start up protection in case of power interruption

Technical Data		
Voltage	V~	230
Power consumption	W	1600
Temperature	°C	20 - 700
Air flow (20°C)	I/min	230
Size (L × ∅)	mm	370×90 , handle 56
Weight	kg	1.0
Marking of conformity	C€	
Approval mark	\$	
Certification scheme	CCA, CB	
Protection class II		

Article-no:


136.936

TRIAC BT floor welding kit: TRIAC BT hand tool, $230\,V\,/\,1600\,W,$ with Euro plug, two 5 mm speed welding nozzles (one with small air-slide), spare heating element, delivered in the practical Leister tool box.




Accessories

Speed welding nozzle, push-fit



Art.-no. 107.139 (4.5 x 12 mm)

Speed welding nozzle, push-fit




Art.-no. 106.989 (3 mm)

Tool box


Art.-no. 106.990 (4 mm) Art.-no. 106.991 (5 mm)

Speed welding nozzle, small air-slide, push-fit



Art.-no. 105.431 (3 mm) Art.-no. 105.432 (4 mm) Art.-no. 105.433 (5 mm)

Spatula




Art.-no. 106.969

Heating element, 230 V~/1550 W



Art.-no. 136.916

Art.-no. 116.586



Art.-No. 137.855



Leister-Cutter, with 4 spare blades




Headquarters:

Leister Process Technologies Galileo-Strasse 10 6056 Kaeqiswil/Switzerland phone: +41 41 662 74 74 fax: +41 41 662 74 16 leister@leister.com

www.leister.com

Leister Process Technologies is an ISO 9001 certified enterprise.

Specifications are subject to change without prior notice



Our close worldwide network of more than 120 Sales and Service Centres in more than 90 countries.

© Copyright by Leister