

LEISTER

PLASTIC WELDING

Tarpaulin welding
made easy:

TRIAC BT



New!



Swiss Made
Quality ✓

Hand tool

TRIAC BT

The TRIAC BT fulfils all of the functionality and design requirements necessary for successful tarpaulin welding. Weighing just one kilogram, it is the lightest in its class and is made from high-quality material. Every TRIAC BT kit undergoes stringent quality checks before leaving the factory in Switzerland. The sturdy tool box includes everything an expert technician requires.



Temperature setting:
Convenient and reliable temperature adjustment



Accidental start-up protection:
The temperature adjustment becomes illuminated if the power to the tool is interrupted



Filter:
The fine mesh air filter prevents dirt from clogging the air inlet of the tool



Nozzle:
Integral 40 mm precision nozzle for 20, 30 or 40 mm seams



Filter cleaning:
The air filters on both sides can be easily removed and cleaned




Spare heating element:
Protected, packed in a box and within easy reach



Tool handle: Ergonomically designed handle with soft grip covering for a secure hold



Tool box:
Enough space for all the accessories the professional needs



Well balanced design for precise welding.

- Light and easy to handle
- Ergonomic handle for welding without strain
- Electronically protected heating element
- Integral precision nozzle
- Built-in start up protection in case of power interruption

Technical Data

Voltage	V~	230
Power consumption	W	1600
Temperature	°C	20 – 700
Air flow (20°C)	l/min	230
Size (L x Ø)	mm	370 x 90, handle 56
Weight	kg	1.0
Marking of conformity	CE	
Approval mark	Ⓢ	
Certification scheme	CCA, CB	
Protection class II	□	

Article-no.:

136.938

TRIAC BT tarpaulin kit: TRIAC BT hand tool, 40 mm, 230 V / 1600 W, with Euro plug, pressure roller and spare heating element, delivered in the practical Leister tool box.



Accessories

40 mm pressure roller, with ball bearings (silicon)





28 mm pressure roller, with ball bearings (silicon)

Custom seal roller

Heating element, 230 V~ / 1550 W

Tool box

Leister-Cutter, with 4 spare blades



Article numbers

106.975

106.977

106.981

136.916

116.586

137.855



Headquarters:

Leister Process Technologies
Galileo-Strasse 10
6056 Kaegiswil/Switzerland

phone: +41 41 662 74 74
fax: +41 41 662 74 16
leister@leister.com

www.leister.com

Leister Process Technologies is an **ISO 9001** certified enterprise.

Specifications are subject to change without prior notice



Our close worldwide network of more than 120 Sales and Service Centres in more than 90 countries.

© Copyright by Leister